Notice of Allowability	Application No.	Applicant(s)	$\overline{}$
	10/617,704	ZECHA ET AL.	
	Examiner	Art Unit	<u>. </u>
	Sharon Kennedy	3762	
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED or other appropriate comm GHTS. This application is	in this application. If not included nunication will be mailed in due cou	ırse. THIS
1. This communication is responsive to			
2. The allowed claim(s) is/are <u>1-20</u> .		·	,
3. The drawings filed on are accepted by the Examine	r. ,		
 4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Applicati	on No	from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to fil ENT of this application.	e a reply complying with the require	ements
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 			ICE OF
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") muss (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the state of the property of the state of the placement sheet (s) should be labeled as such in the placement sheet (s) should be labeled as such as the placement sheet (s) should be labeled as such as the placement sheet (s) should be labeled as such as the placement sheet (s) should be labeled as such as the placement sheet (s) should be labeled as such as the placement sheet (s) should be labeled as such as the placement sheet (s) should be labeled as such as the placement sheet (s) should be labeled as such as the placement	on's Patent Drawing Revie s Amendment / Comment on .84(c)) should be written on	or in the Office action of the drawings in the front (not the ba	ck) of
7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	SIT OF BIOLOGICAL MAT FOR THE DEPOSIT OF BI	ERIAL must be submitted. Note OLOGICAL MATERIAL.	e the
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 07142003 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview S Paper No 8), 7. ⊠ Examiner's	nformal Patent Application (PTO-1: Summary (PTO-413), ./Mail Date s Amendment/Comment s Statement of Reasons for Allowa 	

Application/Control Number: 10/617,704

Art Unit: 3762

DETAILED ACTION

Drawings

New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because the drawings submitted are too dark and it is difficult to see the different parts of the cap. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Examiner's Amendment

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the Claims:

Claim 12, line 9, change "sad" to -said--.

Allowable Subject Matter

Claims 1-20 are allowed.

The following is an examiner's statement of reasons for allowance:

Regarding claim 1, none of the prior art suggests or discloses the vial having a

Application/Control Number: 10/617,704

Art Unit: 3762

circumferential notch and having a pivotal needle protection with a collar press fitted onto the neck. The closest prior art is the patent to Feldschuh, US 5,529,189, but this does not disclose or suggest the claimed features. Olson, US 5,011,475 discloses a pivotal protector attached to a syringe barrel, but does not show the main features of the claim. Regarding claim 7, Hollister et al., US 6,551,287 exemplifies the state of the art. Some may argue that fingers 6 of figure 1d could reasonably be interpreted to have planar extensions, however, Hollister does not in addition show the sleeve being internally threaded for mating with a Luer of the needle. Hollister US 4,982,842 discloses internal threads (see Figure 2A, for example), but there is no motivation to combine the two features. Regarding claims 12 and 16, these independent claims are narrower than the above discussed independent claims and are allowable for the same reasons.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sharon Kennedy whose telephone number is 703/305-0154. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angela Sykes can be reached on 703/308-5181. The fax

Art Unit: 3762

phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sharon Kennedy Primary Examiner Art Unit 3762